

Metadata Report

Project Name: Bilila-Mtakataka Fault, Kasinje Segment

Summary:

Point cloud data derived from Pleiades imagery of the Bilila-Mtakataka Fault, Malawi. The bistereo Pleiades imagery (50 cm pixel⁻¹) was processed using the Leica Photogrammetry Toolbox within ERDAS Imagine. Point Cloud data was prepared for Open Topopgraphy using PDAL. Processing was carried out by Michael Hodge (University of Cardiff, now at Office for National Statistics, UK) and Austin Elliot (University of Oxford), supported by Juliet Biggs (University of Bristol) and Ake Fagereng (University of Cardiff). Luke Wedmore (University of Bristol) prepared the files for upload.

The Imagery was purchased using a small grant from COMET (Centre for Observation and Modelling of Earthquakes, Volcanoes and Tectonics). Michael Hodge was supported by the NERC GW4+ Doctoral Training Partnership (NE/L002434/1) and COMET. Austin Elliott was supported by COMET and NERC Large Grant Looking into the Continents from Space(LICS; NE/K011006/1). Luke Wedmore was supported by EPSRC Global Challenges PREPARE project (EP/P028233/1). Juliet Biggs was supported by LICS (NE/K010913/1) and PREPARE(EP/P028233/1). Ake Fagereng was supported by PREPARE (EP/P028233/1).

This data has contributed to the following publications:

Hodge, M., Biggs, J., Fagereng, A., Elliot, A., Mdala, H., Mphepo, F. (2019). A semiautomated algorithm to quantify scarp morphology (SPARTA): application to normal faults in southern Malawi. *Solid Earth*, 10, 27-57. doi.org/10/5194/se-10-27-2019

Hodge, M., Biggs, J., Fagereng, A., Mdala, H., Wedmore, L., Williams, J. Evidence from high resolution topography for multiple earthquakes on high slip-to-length fault scarps: the Bilila-Mtakataka fault, Malawi. *In Preparation for Tectonics*.

Site Information

Bilila-Mtakataka Fault, Kasinje Segment, Malawi.

Bounds: min x: 674920; max x: 694199; min y: 8371438; max y: 8392900 (EPSG: 32736)

Survey Results

Imagery: Bi-Stereo Pleiades. Imagery date: 2016-06-01



Sun azimuth: ~35° Sun Elevation: ~46° Cloud cover: <10%

Products

Data was collected as 1 panchromatic band and 4 multispectral bands. Multispectral bands were converted to 8-bit colour. A 0.7m pan-sharpened multispectral image was created using the high-resolution panchromatic images.

The panchromatic stereo-pair was used to create the ~50 cm point cloud. In each scene, ~20 tie points were identified and used to refine the image alignment. The image alignment has a RMSE of <0.2 pixels which equates to <0.1 m.